


SIRI TRACK

INDOOR PROJECTOR, INTERCHANGEABLE OPTICS FOR MUSEUMS AND RETAIL SETTINGS





SIRI TRACK 2.0




POWER / POWER SUPPLY CODE	16W 230Vac SB2010 1 B White SB2010 1 N Black
CRI	0 - CRI 80 1 - CRI >90
LED COLOUR	F - 2700K 5 - 3000K 9 - 4000K
OPTICS	includes set of optical filters: 11°, 18°, 29°, 55°, 24°x55°
LUMEN OUTPUT AT SOURCE	1411 lm (3000K, CRI 80)
DELIVERED LUMEN OUTPUT	1010 lm (3000K, 29°, CRI 80)
NO. AND TYPE OF LED	4 power LEDs 1/4 ANSI BIN, 50000h L95 B10 (Ta 25°C)
MATERIAL	body in die-cast aluminium screen in serigraphed plexiglass
POWER SUPPLY UNIT	built in
MOUNTING	on horizontal track
TRACK ACCESSORIES	see p. 870
SPARE PARTS	see p. 866
FEATURES	on-board manual dimmer
PHOTOMETRIC DATA	see p. 812

SIRI TRACK


INDOOR PROJECTORS

SIRI TRACK 2.0


11° CRI 80




18° CRI 80



29° CRI 80



55° CRI 80



24°x55° CRI 80

