


DRIVE-OVER OUTDOOR STEP LIGHTS FOR ORIENTATION LIGHTING IN PATHS AND PARKING AREAS



radial

narrow



2700K 3000K 4000K

Ø100 mm

Ø160 mm

SINGLE BEAM



RONDÒ 1.1 p. 398
2W 24Vdc



RONDÒ 3.1 p. 402
3W 24Vdc
3W 230Vac



RONDÒ 2.1 p. 399
2W 24Vdc

DOUBLE BEAM




RONDÒ 1.2 p. 399
4W 24Vdc



RONDÒ 3.2 p. 403
5W 24Vdc
5W 230Vac

4 BEAMS



RONDÒ 3.4 p. 403
8W 24Vdc
8W 230Vac



IP67
SUITABLE FOR OUTDOOR
APPLICATIONS



BUILT-IN PROTECTION SYSTEMS:
IPS
INTELLIGENT PROTECTION SYSTEM



PID
PROTECTIVE IMPEDANCE DEVICE
(RONDÒ 3)



DRIVE-OVER
UP TO 5000 KG



5-STEP MATERIAL PROTECTION,
AND OXIDATION AND
CORROSION RESISTANCE
Preparation for painting
Epoxy paint
Polyester paint
Paints compliant with Qualicoat automotive coating standard
Salt spray tested (over 1000 hours)



BODY IN AISI 316L
STAINLESS STEEL, MADE
ENTIRELY ON A CNC LATHE

SCREEN IN ANTI-UV
POLYCARBONATE

TAMPER-RESISTANT
SCREW IN AISI 316L
STAINLESS STEEL IN THE
SAME FINISH AS THE FIXTURE



UNIQUE SELLING POINTS



COR-TEN



RAL FINISH
ON REQUEST



ANTHRACITE



STAINLESS STEEL



10° OPTICS




RADIAL OPTICS



DOUBLE BEAM, RADIAL OPTICS

√
RONDÒ 1.2
 3000K, 4W, radial, anthracite
LIRA 1.0
 3000K, 6W, asymmetrical, anthracite
UPDOWN 3.6
 3000K, 6W, 15°, anodized grey
 Project by / arch. Patrik Spreafico
 Plastic Stratosfera, Robbiate, Lecco, Italy



RONDÒ 1.1



POWER / POWER SUPPLY CODE

2W 24Vdc
RD1100 ■ H - ■ Anthracite
RD1100 ■ I - ■ Stainless steel
RD1100 ■ T - ■ Cor-ten

LED COLOUR

F - 2700K
5 - 3000K
9 - 4000K

OPTICS

S - 10°
A - radial

POWER CABLES

includes 1.5 m neoprene cable
 H05RN-F 2x0.35/0.75 Ø6.3 mm
1 - 5 m
2 - 10 m
3 - 15 m
4 - 20 m

LUMEN OUTPUT AT SOURCE 185 lm (3000K)

DELIVERED LUMEN OUTPUT 65 lm (3000K, radial optics)

NO. AND TYPE OF LED 1 power LED
1/4 ANSI BIN, 50000h L95 B10 (Ta 25°C)

MATERIAL body in AISI 316L stainless steel
screen in Rilsan® Clear


POWER SUPPLY UNIT not included, see p. 904

MOUNTING recessed (ground)

ACCESSORIES see p. 405

PHOTOMETRIC DATA see p. 872





RONDÒ 1.2

4W 24Vdc

RD1200 **H** - Anthracite
RD1200 **I** - Stainless steel
RD1200 **T** - Cor-ten

F - 2700K
5 - 3000K
9 - 4000K

S - 10°
A - radial

includes 1.5 m neoprene cable
 H05RN-F 2x0.35/0.75 Ø6.3 mm
1 - 5 m
2 - 10 m
3 - 15 m
4 - 20 m

370 lm (3000K)

130 lm (3000K, radial optics)

2 power LEDs
 1/4 ANSI BIN, 50000h L95 B10 (Ta 25°C)


body in AISI 316L stainless steel
 screen in Rilsan® Clear

not included, see p. 904

recessed (ground)

see p. 405

see p. 872



RONDÒ 2.1

2W 24Vdc

RD2100 **H** - Anthracite
RD2100 **I** - Stainless steel
RD2100 **T** - Cor-ten

F - 2700K
5 - 3000K
9 - 4000K

S - 10°
A - radial

includes 1.5 m neoprene cable
 H05RN-F 2x0.35/0.75 Ø6.3 mm
1 - 5 m
2 - 10 m
3 - 15 m
4 - 20 m

185 lm (3000K)

85 lm (3000K, radial optics)

1 power LED
 1/4 ANSI BIN, 50000h L95 B10 (Ta 25°C)

body in AISI 316L stainless steel
 screen in Rilsan® Clear

not included, see p. 904

recessed (ground)

see p. 405

see p. 872








RONDÒ 1.1

3000K, 2W, radial optics, stainless steel

Light planning by / IBF Project
Seafront promenade, Tribunj, Croatia



RONDÒ 3.1

Built-in power supply in version with 230Vac power



POWER / POWER SUPPLY CODE


- 3W 24Vdc
- RD3100** ■ H - Anthracite
- RD3100** ■ I - Stainless steel
- RD3100** ■ T - Cor-ten
- 3W 230Vac
- RD3110** ■ H Anthracite
- RD3110** ■ I Stainless steel
- RD3110** ■ T Cor-ten

■ LED COLOUR	F - 2700K 5 - 3000K 9 - 4000K
■ OPTICS	S - 10° A - radial
■ POWER CABLES	230Vac: includes 1.5 m neoprene cable H07RN-F 3x1.00 Ø8.7 mm 24Vdc: includes 1.5 m neoprene cable H05RN-F 2x0.35/0.75 Ø6.3 mm 1 - 5 m 2 - 10 m 3 - 15 m 4 - 20 m


LUMEN OUTPUT AT SOURCE	185 lm (3000K)
DELIVERED LUMEN OUTPUT	90 lm (3000K, radial optics)
NO. AND TYPE OF LED	1 power LED 1/4 ANSI BIN, 50000h L95 B10 (Ta 25°C)
MATERIAL	body in AISI 316L stainless steel screen in Rilsan® Clear
POWER SUPPLY UNIT	230Vac: built in 24Vdc: not included, see p. 904
MOUNTING	recessed (ground)
ACCESSORIES	see p. 405
PHOTOMETRIC DATA	see p. 872

▼
RONDÒ 3.4
3000K, 8W, radial, stainless steel
Light planning by / Cristian Turra
Private residence, Iseo, Brescia, Italy





RONDÒ 3.2 Built-in power supply in version with 230Vac power



RONDÒ 3.4 Built-in power supply in version with 230Vac power

IP67 IK08
 CASAMBI

5W 24Vdc
RD3200 Anthracite
RD3200 Stainless steel
RD3200 Cor-ten

5W 230Vac
RD3210 Anthracite
RD3210 Stainless steel
RD3210 Cor-ten

	F - 2700K 5 - 3000K 9 - 4000K
	S - 10° A - radial
	230Vac: includes 1.5 m neoprene cable H07RN-F 3x1.00 Ø8.7 mm 24Vdc: includes 1.5 m neoprene cable H05RN-F 2x0.35/0.75 Ø6.3 mm 1 - 5 m 2 - 10 m 3 - 15 m 4 - 20 m

IP67 IK08
 CASAMBI

8W 24Vdc
RD3400 Anthracite
RD3400 Stainless steel
RD3400 Cor-ten

8W 230Vac
RD3410 Anthracite
RD3410 Stainless steel
RD3410 Cor-ten

	F - 2700K 5 - 3000K 9 - 4000K
	S - 10° A - radial
	230Vac: includes 1.5 m neoprene cable H07RN-F 3x1.00 Ø8.7 mm 24Vdc: includes 1.5 m neoprene cable H05RN-F 2x0.35/0.75 Ø6.3 mm

370 lm (3000K)
180 lm (3000K, radial optics)
2 power LEDs 1/4 ANSI BIN, 50000h L95 B10 (Ta 25°C)
body in AISI 316L stainless steel screen in Rilsan® Clear
230Vac: built in 24Vdc: not included, see p. 904
recessed (ground)
see p. 405
see p. 872

740 lm (3000K)
360 lm (3000K, radial optics)
4 power LEDs 1/4 ANSI BIN, 50000h L95 B10 (Ta 25°C)
body in AISI 316L stainless steel screen in Rilsan® Clear
230Vac: built in 24Vdc: not included, see p. 904
recessed (ground)
see p. 405
see p. 872





ACCESSORIES

ACCESSORIES FOR INSTALLATION



WC0100
Outer casing
(Rondò 1.1 / 1.2 / 2.1)



WC0103
Outer casing
(Rondò 1.1 / 1.2 / 2.1)



WC0150
Outer casing
(Rondò 1.1 / 1.2 / 2.1)



WC0601
Outer casing
(Rondò 3.1 / 3.2 / 3.4)





WC0701
Outer casing
(Rondò 3.1 / 3.2 / 3.4)

for spare parts, see p. 932



< **RONDÒ 1.2**
3000K, 4W, radial, stainless steel

Project by / Studio di Architettura Andrea Abbadessa,
ing. Ignazio Stancanelli, ing. Giuseppe Malatino
Light planning by / Light Style
Maniace-Ortigia, Syracuse, Italy

RONDÒ 1.1



RONDÒ 2.1



RONDÒ 3.1

