


# SIRI TRACK

INDOOR PROJECTORS





## SIRI TRACK 2.0



CE kg 1.60 IP40 IK06  
A A+ A++


<b>POWER / POWER SUPPLY CODE</b>	16W 230Vac SB2010  1 B White SB2010  1 N Black
<b>CRI</b>	0 - 80 CRI 1 - 90 CRI
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K
<b>OPTICS</b>	set of optical filters included: 11°, 18°, 29°, 55°, 24°x55°
<b>LUMEN OUTPUT AT SOURCE</b>	1411 lm (3000K, CRI 80) 1324 lm (3000K, CRI 90)
<b>DELIVERED LUMEN OUTPUT</b>	1010 lm (3000K, 29°, CRI 80) 960 lm (3000K, 29°, CRI 90)
<b>NO. AND TYPE OF LED</b>	4 power LEDs
<b>MATERIAL</b>	body in die-cast aluminium screen in serigraphed plexiglass
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>TRACK ACCESSORIES</b>	see p. 708
<b>SPARE PARTS</b>	see p. 704
<b>FEATURES</b>	on-board manual dimmer

# SIRI TRACK


## PHOTOMETRIC DATA

### SIRI TRACK 2.0


#### 11° CRI 80




#### 18° CRI 80




#### 29° CRI 80



#### 55° CRI 80



#### 24°x55° CRI 80



#### On-board manual dimmer





