



# ICE LED

OUTDOOR STEP LIGHTS  
LIGHT POINT FOR GARDENS AND FLOWERBEDS




Surface installation




Installation flush  
with ground



ICE LED 1.0



ICE LED 1.1




<b>POWER / POWER SUPPLY CODE</b>	max 1W max 350mA <b>LE1011</b> ■ D A V - ■
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K 0 - 5000K 1 - blue
<b>POWER CABLES</b>	includes 1.5 m neoprene cable H05RN-F 2x0.35/0.75 Ø6.3 mm 1 - 5 m 2 - 10 m 3 - 15 m 4 - 20 m
<b>OPTICS</b>	diffuse
<b>LUMEN OUTPUT AT SOURCE</b>	110 lm (3000K, 350mA)
<b>DELIVERED LUMEN OUTPUT</b>	89 lm (3000K, 350mA)
<b>NO. AND TYPE OF LED</b>	1 power LED 1/4 ANSI BIN (white LED colour) 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium and sandblasted glass
<b>POWER SUPPLY UNIT</b>	not included, see p. 386 and 844
<b>WIRING</b>	series
<b>MOUNTING</b>	recessed (wall, ground) surface mounted (ground)
<b>ACCESSORIES</b>	see p. 386
<b>PHOTOMETRIC DATA</b>	see p. 771

<b>POWER / POWER SUPPLY CODE</b>	max 1W max 350mA <b>LE1111</b> ■ D A V - ■
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K 0 - 5000K 1 - blue
<b>POWER CABLES</b>	includes 1.5 m neoprene cable H05RN-F 2x0.35/0.75 Ø6.3 mm 1 - 5 m 2 - 10 m 3 - 15 m 4 - 20 m
<b>OPTICS</b>	diffuse
<b>LUMEN OUTPUT AT SOURCE</b>	110 lm (3000K, 350mA)
<b>DELIVERED LUMEN OUTPUT</b>	89 lm (3000K, 350mA)
<b>NO. AND TYPE OF LED</b>	1 power LED 1/4 ANSI BIN (white LED colour) 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium and sandblasted glass
<b>POWER SUPPLY UNIT</b>	not included, see p. 386 and 844
<b>WIRING</b>	series
<b>MOUNTING</b>	recessed (wall, ground) surface mounted (ground)
<b>ACCESSORIES</b>	see p. 386
<b>PHOTOMETRIC DATA</b>	see p. 771


# ICE LED

## ACCESSORIES AND POWER SUPPLY UNITS

### ACCESSORIES FOR INSTALLATION



**WC0410**  
Outer casing  
(Ice LED 1.0)



**WC0411**  
Outer casing  
(Ice LED 1.1)

### POWER CABLES

the choice of power cable is included in the configuration of the code for the lighting fixture

- 1 length 5 m
- 2 length 10 m
- 3 length 15 m
- 4 length 20 m

Neoprene cables  
H05RN-F 2x0.35/0.75 Ø6.3 mm IPS

### POWER SUPPLY UNITS

#### 220mA

Max no. fixtures	PSU	IP	Page
1/9	A19220TC	20	844

#### 350mA

Max no. fixtures	PSU	IP	Page
1/3	A13350VL	20	845
1/15	ACUNI020T1	20	844 845
3/9	A19350QL	20	845
5/12	A312350QL	20	845
1/12 dimmer	ADUNITC	20	848 849 850
2/6	A16350IP67	67	845
5/12	A312350IP67	67	845







# ICE LED

## OUTDOOR STEP LIGHTS

### ICE LED 1.0 1.1

D - Diffuse

