










INTONO C IN 3.3



20W 230Vac

NC3310 0 0 0 0 B White  
 NC3310 0 0 0 0 N Black  
 NC3310 0 0 0 0 Z Antique bronze  
 NC3310 0 0 0 0 7 Primer

0 - CRI 80  
 1 - CRI >90

0 - on/off  
 D - DALI  
 R - 0/1-10V

0 - not present  
 1 - present  
 (not compatible with the asymmetrical optics)

F - 2700K  
 5 - 3000K  
 9 - 4000K

SS - 15°  
 MM - 20°  
 LL - 43°  
 AA - asymmetrical

1976 lm (3000K, CRI 80)

1674 lm (3000K, 15°, CRI 80)

2 high power density COB LEDs  
 2-step MacAdam, 50000h L95 B10 (Ta 25°C)

body in die-cast aluminium  
 screen in black-serigraphed, transparent, tempered  
 extra-clear glass

built in

surface mounted (ceiling)

none


easy installation thanks to 4-point  
 magnetic attachment

version compatible with Google Home  
 or Amazon Echo available on request  
 for voice command control

see p. 102



INTONO C IN 3.8



9W 24Vdc

NC3800 00 00 M9 B White  
 NC3800 00 00 M9 N Black  
 NC3800 00 00 M9 Z Antique bronze  
 NC3800 00 00 M9 7 Primer

0 - CRI 80  
 1 - CRI >90

0 - not present  
 1 - present

F - 2700K  
 5 - 3000K  
 9 - 4000K

20°

988 lm (3000K, CRI 80)

783 lm (3000K, 20°, CRI 80)

1 high power density COB LED  
 2-step MacAdam, 50000h L95 B10 (Ta 25°C)

body in die-cast aluminium  
 screen in black-serigraphed, transparent, tempered  
 extra-clear glass

not included, see p. 41

surface mounted (ceiling)

see p. 40

easy installation thanks to 4-point  
 magnetic attachment

version compatible with Google Home  
 or Amazon Echo available on request  
 for voice command control

see p. 102

# INTONO C IN

## ACCESSORIES AND POWER SUPPLY UNITS

### ACCESSORIES



#### WUNT39A00


Bluetooth 3.0 audio control kit with power supply unit and amplifier (for Alexa or Google voice-control systems)  
(Intono C IN 3.8)



#### WUNT39A01

Wi-Fi light control kit  
(Intono C IN 3.8)


∨  
**INTONO C IN 3.3**  
20W, asymmetrical optics



**POWER SUPPLY UNITS** Intono C IN 3.8

Max no. fixtures	PSU	IP
1...n	24Vdc	20
1...n	24Vdc	67

∨  
**INTONO C IN 3.3**  
20W, asymmetrical optics




# INTONO C IN


## INDOOR CEILING MOUNTED

### INTONO C IN 2.3


**TT** - 11° CRI 80




**MM** - 34° CRI 80



**KK** - 68° CRI 80




**DD** - Diffuse CRI 80




### INTONO C IN 3.3


**SS** - 15° CRI 80




**MM** - 20° CRI 80



**LL** - 43° CRI 80



**AA** - Asymmetrical CRI 80



### INTONO C IN 3.8

**M** - 20° CRI 80

