



Small informational label for the left photograph.



Small informational label for the right photograph.



# ZAB TRACK

INDOOR PROJECTORS  
BRIGHT COLOURS AND VISUAL COMFORT



2700K 3000K 4000K

Ø89 mm

Ø109 mm

## FIXED FOCUS



**ZAB TRACK 1.0** p. 584  
23W 230Vac - CRI 98  
COB LED Xicato  
Xtm Artist Series®  
(2-step MacAdam)



**ZAB TRACK 3.0** p. 586  
34W 230Vac - CRI 98  
COB LED Xicato  
Xtm Artist Series®  
(2-step MacAdam)



**ZAB TRACK 1.1** p. 584  
29W 230Vac - CRI 94  
COB LED Citizen  
(3-step MacAdam)



**ZAB TRACK 3.1** p. 586  
36W 230Vac - CRI 94  
COB LED Citizen  
(3-step MacAdam)



narrow medium wide

## ZOOM LENS



**ZAB TRACK 2.0** p. 585  
23W 230Vac - CRI 98  
COB LED Xicato  
Xtm Artist Series®  
(2-step MacAdam)



**ZAB TRACK 4.0** p. 587  
34W 230Vac - CRI 98  
COB LED Xicato  
Xtm Artist Series®  
(2-step MacAdam)



**ZAB TRACK 2.1** p. 585  
29W 230Vac - CRI 94  
COB LED Citizen  
(3-step MacAdam)



**ZAB TRACK 4.1** p. 587  
36W 230Vac - CRI 94  
COB LED Citizen  
(3-step MacAdam)

< **ZAB TRACK 2.0**  
customized version with 3500K LED colour, 23W, white

Project by / Studio ARCHH  
Photo by / Alessio Tamborini  
The Coeclerici Gallery, Galata Maritime Museum, Genoa, Italy



RAL FINISH  
ON REQUEST



HIGH VISUAL COMFORT: SOFT  
START AND FLICKER FREE



ZAB TRACK 1.0 / 2.0 / 3.0 / 4.0  
XICATO XTM ARTIST SERIES® LED  
HIGH CRI 98 WITH R9 >98  
IES TM-30 COLOUR FIDELITY (Rf) 96,  
COLOUR GAMUT (Rg) 103




# ZAB TRACK

## UNIQUE SELLING POINTS



BODY IN ANODIZED  
ALUMINIUM PRODUCED  
ENTIRELY ON A CNC LATHE



ZAB TRACK 1.0 / 2.0 / 3.0 / 4.0  
REMOTE PHOSPHOR TECHNOLOGY  
2-STEP MACADAM: GUARANTEE  
OF COLOUR BRIGHTNESS  
CONSISTENCY OVER TIME




ZAB TRACK 2 / 4  
ZOOM LENS SUITABLE FOR SHOWROOMS  
AND SHOPS TO LIGHT WORKS AND  
OBJECTS WHOSE SHAPES  
AND SIZES FREQUENTLY CHANGE


# ZAB TRACK 1



## ZAB TRACK 1.0



## ZAB TRACK 1.1



<b>POWER / POWER SUPPLY CODE</b>	23W 230Vac 1 COB LED Xicato Xtm Artist Series® ZT10101 ■ ■ B White ZT10101 ■ ■ N Black
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K
<b>OPTICS</b>	S - 20° M - 32° L - 46°
<b>LUMEN OUTPUT AT SOURCE</b>	1912 lm (3000K)
<b>DELIVERED LUMEN OUTPUT</b>	1366 lm (3000K, 32°)
<b>NO. AND TYPE OF LED</b>	1 COB LED Xicato Xtm Artist Series® 2-step MacAdam, 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>ACCESSORIES</b>	see p. 588
<b>FEATURES</b>	<b>CRI 98</b>
<b>PHOTOMETRIC DATA</b>	see p. 838


<b>POWER / POWER SUPPLY CODE</b>	29W 230Vac 1 COB LED Citizen ZT11101 ■ ■ B White ZT11101 ■ ■ N Black
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K
<b>OPTICS</b>	S - 14° M - 29°
<b>LUMEN OUTPUT AT SOURCE</b>	2645 lm (3000K)
<b>DELIVERED LUMEN OUTPUT</b>	1750 lm (3000K, 29°)
<b>NO. AND TYPE OF LED</b>	1 COB LED Citizen 3-step MacAdam, 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>ACCESSORIES</b>	see p. 588
<b>FEATURES</b>	<b>CRI 94</b>
<b>PHOTOMETRIC DATA</b>	see p. 838




# ZAB TRACK 2



## ZAB TRACK 2.0



## ZAB TRACK 2.1




<b>POWER / POWER SUPPLY CODE</b>	23W 230Vac 1 COB LED Xicato Xtm Artist Series® <b>ZT20101</b> ■ <b>R1 B</b> White <b>ZT20101</b> ■ <b>R1 N</b> Black
<b>LED COLOUR</b>	<b>F</b> - 2700K <b>5</b> - 3000K <b>9</b> - 4000K
<b>OPTICS</b>	optical range 26°-51°
<b>LUMEN OUTPUT AT SOURCE</b>	1912 lm (3000K)
<b>DELIVERED LUMEN OUTPUT</b>	1302 lm (3000K, 51°)
<b>NO. AND TYPE OF LED</b>	1 COB LED Xicato Xtm Artist Series® 2-step MacAdam, 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium screen in transparent glass
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>TRACK ACCESSORIES</b>	see p. 870
<b>FEATURES</b>	<b>CRI 98</b>
<b>PHOTOMETRIC DATA</b>	see p. 838

<b>POWER / POWER SUPPLY CODE</b>	29W 230Vac 1 COB LED Citizen <b>ZT21101</b> ■ <b>R1 B</b> White <b>ZT21101</b> ■ <b>R1 N</b> Black
<b>LED COLOUR</b>	<b>F</b> - 2700K <b>5</b> - 3000K <b>9</b> - 4000K
<b>OPTICS</b>	optical range 20°-42°
<b>LUMEN OUTPUT AT SOURCE</b>	2645 lm (3000K)
<b>DELIVERED LUMEN OUTPUT</b>	1832 lm (3000K, 42°)
<b>NO. AND TYPE OF LED</b>	1 COB LED Citizen 3-step MacAdam, 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium screen in transparent glass
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>TRACK ACCESSORIES</b>	see p. 870
<b>FEATURES</b>	<b>CRI 94</b>
<b>PHOTOMETRIC DATA</b>	see p. 838


# ZAB TRACK 3



## ZAB TRACK 3.0



## ZAB TRACK 3.1



<b>POWER / POWER SUPPLY CODE</b>	34W 230Vac 1 COB LED Xicato Xtm Artist Series® ZT30101 ■ B White ZT30101 ■ N Black
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K
<b>OPTICS</b>	S - 18° M - 25° L - 42°
<b>LUMEN OUTPUT AT SOURCE</b>	2505 lm (3000K)
<b>DELIVERED LUMEN OUTPUT</b>	1785 lm (3000K, 25°)
<b>NO. AND TYPE OF LED</b>	1 COB LED Xicato Xtm Artist Series® 2-step MacAdam, 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>ACCESSORIES</b>	see p. 588
<b>FEATURES</b>	<b>CRI 98</b>
<b>PHOTOMETRIC DATA</b>	see p. 839


<b>POWER / POWER SUPPLY CODE</b>	36W 230Vac 1 COB LED Citizen ZT31101 ■ B White ZT31101 ■ N Black
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K
<b>OPTICS</b>	S - 16° M - 32°
<b>LUMEN OUTPUT AT SOURCE</b>	3377 lm (3000K)
<b>DELIVERED LUMEN OUTPUT</b>	1882 lm (3000K, 32°)
<b>NO. AND TYPE OF LED</b>	1 COB LED Citizen 3-step MacAdam, 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>ACCESSORIES</b>	see p. 588
<b>FEATURES</b>	<b>CRI 94</b>
<b>PHOTOMETRIC DATA</b>	see p. 839



# ZAB TRACK 4




## ZAB TRACK 4.0



CE LED TECH kg 1.45 IP40  
A A+ A++

## ZAB TRACK 4.1



CE LED TECH kg 1.45 IP40  
A A+ A++





<b>POWER / POWER SUPPLY CODE</b>	34W 230Vac 1 COB LED Xicato Xtm Artist Series® <b>ZT40101</b> R1 B White <b>ZT40101</b> R1 N Black
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K
<b>OPTICS</b>	optical range 19°-62°
<b>LUMEN OUTPUT AT SOURCE</b>	2505 lm (3000K)
<b>DELIVERED LUMEN OUTPUT</b>	1733 lm (3000K, 62°)
<b>NO. AND TYPE OF LED</b>	1 COB LED Xicato Xtm Artist Series® 2-step MacAdam, 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium screen in transparent glass
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>TRACK ACCESSORIES</b>	see p. 870
<b>FEATURES</b>	<b>CRI 98</b>
<b>PHOTOMETRIC DATA</b>	see p. 839

<b>POWER / POWER SUPPLY CODE</b>	36W 230Vac 1 COB LED Citizen <b>ZT41101</b> R1 B White <b>ZT41101</b> R1 N Black
<b>LED COLOUR</b>	F - 2700K 5 - 3000K 9 - 4000K
<b>OPTICS</b>	optical range 26°-61°
<b>LUMEN OUTPUT AT SOURCE</b>	3377 lm (3000K)
<b>DELIVERED LUMEN OUTPUT</b>	2310 lm (3000K, 61°)
<b>NO. AND TYPE OF LED</b>	1 COB LED Citizen 3-step MacAdam, 50000h L90 B10 (Ta 25°C)
<b>MATERIAL</b>	body in anodized aluminium screen in transparent glass
<b>POWER SUPPLY UNIT</b>	built in
<b>MOUNTING</b>	on horizontal track
<b>TRACK ACCESSORIES</b>	see p. 870
<b>FEATURES</b>	<b>CRI 94</b>
<b>PHOTOMETRIC DATA</b>	see p. 839



# ZAB TRACK


## ACCESSORIES

	ZAB TRACK 1.0	ZAB TRACK 1.1	ZAB TRACK 3.0	ZAB TRACK 3.1
<b>ANTI-GLARE ACCESSORIES</b>  Honeycomb louvre built into the lighting fixture order together with the lighting fixture	<b>WH0710</b>	<b>WH0710</b>	<b>WH0711</b>	<b>WH0711</b>
 Standard snoot	<b>WB0401B</b> White <b>WB0401N</b> Black Ø95x60 mm	<b>WB0401B</b> White <b>WB0401N</b> Black Ø95x60 mm	<b>WB0404B</b> White <b>WB0404N</b> Black Ø115x85 mm	<b>WB0404B</b> White <b>WB0404N</b> Black Ø115x85 mm
 Asymmetrical snoot	<b>WB0402B</b> White <b>WB0402N</b> Black Ø90x110 mm	<b>WB0402B</b> White <b>WB0402N</b> Black Ø90x110 mm	<b>WB0405B</b> White <b>WB0405N</b> Black Ø110x120 mm	<b>WB0405B</b> White <b>WB0405N</b> Black Ø110x120 mm
 Barn doors	<b>WB0403N</b> Black	<b>WB0403N</b> Black	<b>WB0406N</b> Black	<b>WB0406N</b> Black


### ACCESSORIES FOR INSTALLATION

For track accessories, see p. 870

Zab Track 1.0 / 2.0 / 3.0 / 4.0, LED Xicato Xtm Artist Series®  
Colour Rendering Index



Zab Track 1.1 / 2.1 / 3.1 / 4.1, LED Citizen  
Colour Rendering Index






# ZAB TRACK


## INDOOR PROJECTORS

### ZAB TRACK 1.0


**S - 20°**



**M - 32°**




**L - 46°**




### ZAB TRACK 1.1

**S - 14°**




**M - 29°**




### ZAB TRACK 2.0

**R1 - 26° (26°–51°)**




**R1 - 51° (26°–51°)**




### ZAB TRACK 2.1

**R1 - 20° (20°–42°)**




**R1 - 42° (20°–42°)**






### ZAB TRACK 3.0


**S - 18°**



**M - 25°**




**L - 42°**




### ZAB TRACK 3.1

**S - 16°**




**M - 32°**




### ZAB TRACK 4.0

**R1 - 19° (19°–62°)**




**R1 - 62° (19°–62°)**



### ZAB TRACK 4.1

**R1 - 26° (26°–61°)**



**R1 - 61° (26°–61°)**

